




Clever Solutions since 1861

Braid up your business!

The best way to
perfect results.



SE 1/12-720

For further information
see the backside.

NG 2/16-120

Circular braiding machine

- 2 heads, 16 carriers per head
- Take-off disc: 95.5 mm diameter
- Bobbin size: 63 x 200 mm
- Bobbin capacity: 547 ccm
- Motor power: 1 x 0,75 KW
- Speed: 330 r. p. m.




NG 1/16-140

Circular braiding machine

- 16 carriers
- Take-off disc: 160 mm diameter
- Bobbin size: 78 x 280 mm
- Bobbin capacity: 1211 ccm
- Motor power: 1 x 0,55 kw
- Speed: 235 r. p. m.



- Take-off disc: 700 mm diameter
- Bobbin size: 290 x 640 mm
- Bobbin capacity: 40.464 ccm
- Motor power: 1 x 3,0 kw
- Speed: 40 r. p. m.



SENG 1/32-160

Rope braiding machine

- 32 carriers
- Take-off disc: 500 mm diameter
- Bobbin size: 87 x 320 mm
- Bobbin capacity: 1732 ccm
- Motor power: 1 x 1,5 kw
- Speed: 180 r. p. m.



SE 1/12-266


Rope braiding machine

- 12 carriers
- Take-off disc: 500 mm diameter
- Bobbin size: 135 x 380 mm
- Bobbin capacity: 5074 ccm
- Motor power: 1 x 1,1 kw
- Speed: 110 r. p. m.

SFL 1/48-120

Sleeving braiding machine

- 48 carriers
- Take-off: multi-roller take-off
- Bobbin size: 63 x 200 mm
- Bobbin capacity: 547 ccm
- Motor power: 2 x 0,75 kw
- Speed: 330 r. p. m.



ST 6/3-80

Soutache braiding machine

- 6 heads, 3 carriers per head
- Take-off: 3-roller take-off
- Bobbin size: 42 x 110 mm, 42 x 130 mm, 55 x 130 mm or 55 x 170 mm
- Bobbin capacity: 125 ccm, 148 ccm, 265 ccm or 346 ccm
- Motor power: 1 x 0,25 KW
- Speed: 250 r. p. m.



HERZOG®
BRAIDING MACHINES

Clever Solutions since 1861

Pitch size	Carrier no. (standard)	Bobbin size	Speed
80 mm	3 – ∞	42 x 110 mm = 125 ccm 42 x 130 mm = 148 ccm	300 r. p. m.
100 mm	8 – ∞	55 x 130 mm = 265 ccm 55 x 170 mm = 346 ccm	250 r. p. m.
120 mm	3 – ∞	63 x 170 mm = 465 ccm 63 x 200 mm = 547 ccm	330 r. p. m.
140 mm	8 – ∞	78 x 280 mm = 1211 ccm	235 r. p. m.
160 mm	8 – ∞	87 x 320 mm = 1732 ccm	200 r. p. m.
180 mm	12 – 48	100 x 350 mm = 2501 ccm	140 r. p. m.
224 mm	3 – 96	115 x 350 mm = 3299 ccm 115 x 380 mm = 3582 ccm	110 r. p. m.
266 mm	8 – 48	135 x 350 mm = 4674 ccm 135 x 380 mm = 5074 ccm	110 r. p. m.
336 mm	8 – 48	190 x 500 mm = 13271 ccm	60 r. p. m.
432 mm	8 – 48	250 x 640 mm = 29606 ccm	48 r. p. m.
528 mm	8 – 48	290 x 640 mm = 40464 ccm	40 r. p. m.
660 mm	12 – 48	350 x 700 mm = 65369 ccm	33 r. p. m.
720 mm	8 – 48	390 x 800 mm = 93305 ccm	30 r. p. m.
1088 mm	8 – 32	560 x 900 mm = 213426 ccm	24 r. p. m.
1500 mm	8 – 12	760 x 1200 mm = 510352 ccm	18 r. p. m.
2000 mm	8 – 12	1000 x 1500 mm = 1133758 ccm	10 r. p. m.

Rope braiding machine SE 1/12-720

- 12 carriers
- Take-off: 2 grooved discs,
1000 mm diameter
- Bobbin size: 390 x 800 mm
- Bobbin capacity: 93305 ccm
- Motor power: 1 x 11,0 kw
- Speed: 30 r. p. m.